



# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 03/10/2021

Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** SPARTACOTE™ Epoxy Membrane Part B

#### 1.2. Intended Use of the Product

Membrane Underlayment

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Company

LATICRETE International

1 Laticrete Park, N

Bethany, CT 06524

T (203)-393-0010

[www.laticrete.com](http://www.laticrete.com)

##### Company

LATICRETE Canada ULC

PO Box 129, Emeryville, Ontario, Canada

NOR-1A0

(833)-254-9255

#### 1.4. Emergency Telephone Number

**Emergency Number** : For Chemical Emergency call ChemTel Inc. day or night:

(800)255-3924 (North America)

(800)-099-0731 (Mexico)

+1 (813)248-0585 (International - collect calls accepted)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US/CA Classification

Acute Tox. 4 (Oral) H302

Acute Tox. 4 H332

(Inhalation:dust,mist)

Skin Corr. 1B H314

Eye Dam. 1 H318

Skin Sens. 1 H317

Muta. 2 H341

Repr. 1B H360

STOT SE 1 H370

STOT RE 2 H373

Asp. Tox. 1 H304

Aquatic Acute 2 H401

Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

##### GHS-US/CA Labeling

##### Hazard Pictograms (GHS-US/CA)



##### Signal Word (GHS-US/CA)

: Danger

##### Hazard Statements (GHS-US/CA)

- : H302+H332 - Harmful if swallowed or if inhaled.
- H304 - May be fatal if swallowed and enters airways.
- H314 - Causes severe skin burns and eye damage.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H341 - Suspected of causing genetic defects.
- H360 - May damage fertility or the unborn child.

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H370 - Causes damage to organs(Liver, kidneys, skin, nervous system).  
H373 - May cause damage to organs through prolonged or repeated exposure.  
H401 - Toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.

**Precautionary Statements (GHS-US/CA) :** P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P260 - Do not breathe vapors, mist, or spray.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, and eye protection.  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor.  
P308+P313 - If exposed or concerned: Get medical advice/attention.  
P310 - Immediately call a POISON CENTER or doctor.  
P314 - Get medical advice/attention if you feel unwell.  
P321 - Specific treatment (see section 4 on this SDS).  
P330 - Rinse mouth.  
P331 - Do NOT induce vomiting.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.  
P405 - Store locked up.  
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-	(CAS-No.) 9046-10-0	15-40	Skin Corr. 1C, H314 Eye Dam. 1, H318 Asp. Tox. 1, H304 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Phenol, 4-nonyl-, branched	(CAS-No.) 84852-15-3	9 – 24	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

			Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Tall oil fatty acids, reaction product with Tetraethylene pentamine	(CAS-No.) 68953-36-6	6 – 8	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317 STOT SE 3, H335
Benzyl alcohol	(CAS-No.) 100-51-6	4.2 – 7.8	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2A, H319 Aquatic Acute 2, H401
Phenol	(CAS-No.) 108-95-2	3 – 6	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Muta. 2, H341 STOT SE 1, H370 STOT RE 2, H373 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
1,3-Benzenedimethanamine	(CAS-No.) 1477-55-0	3 – 6	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 Skin Sens. 1B, H317 Aquatic Acute 3, H402
2,4,6-Tri(dimethylaminomethyl)phenol	(CAS-No.) 90-72-2	0.6 – 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Tetraethylenepentamine	(CAS-No.) 112-57-2	1 – 3	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Bisphenol A	(CAS-No.) 80-05-7	0.1 – 0.5	Eye Dam. 1, H318 Skin Sens. 1, H317 Repr. 1B, H360 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 2, H411 Comb. Dust

Full text of H-phrases: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention. Immediately call a poison center or doctor/physician.

**Skin Contact:** Immediately remove contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get immediate medical advice/attention.

**Eye Contact:** Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

**Ingestion:** Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes damage to organs (kidneys, liver, skin, nervous system). Skin sensitization. Suspected of causing genetic defects. May damage fertility. May damage the unborn child. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May be fatal if swallowed and enters airways.

**Inhalation:** Inhalation is likely to cause adverse health effects including but not limited to: irritation, difficulty breathing, and unconsciousness. May be corrosive to the respiratory tract.

**Skin Contact:** May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns.

**Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Ingestion:** This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury.

**Chronic Symptoms:** Suspected of causing genetic defects. May damage fertility or the unborn child.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, or dry chemical.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon monoxide, carbon dioxide, nitrogen oxides and non-combusted hydrocarbons (smoke). Corrosive vapors.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

### 5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Ventilate area.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Cautiously neutralize spilled liquid.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** May release corrosive vapors.

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathe mist/vapors/spray. Avoid contact with eyes, skin and clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Handle empty containers with care because they may still present a hazard. Use only outdoors or in a well-ventilated area.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in original container or corrosive resistant and/or lined container.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Water.

### 7.3. Specific End Use(s)

Membrane Underlayment

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Benzyl alcohol (100-51-6)		
USA AIHA	WEEL TWA [ppm]	10 ppm
Phenol (108-95-2)		
USA ACGIH	ACGIH OEL TWA [ppm]	5 ppm
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route
USA ACGIH	BEI (BLV)	250 mg/g Kreatinin Parameter: Phenol with hydrolysis - Medium: urine - Sampling time: end of shift (background, nonspecific)
USA OSHA	OSHA PEL (TWA) [1]	19 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) [2]	5 ppm
USA OSHA	Limit value category (OSHA)	prevent or reduce skin absorption
USA NIOSH	NIOSH REL (TWA)	19 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL TWA [ppm]	5 ppm
USA NIOSH	NIOSH REL (Ceiling)	60 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL C [ppm]	15.6 ppm
USA IDLH	IDLH [ppm]	250 ppm

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Alberta	OEL TWA	19 mg/m <sup>3</sup>
Alberta	OEL TWA [ppm]	5 ppm
British Columbia	OEL TWA [ppm]	5 ppm
Manitoba	OEL TWA [ppm]	5 ppm
New Brunswick	OEL TWA	19 mg/m <sup>3</sup>
New Brunswick	OEL TWA [ppm]	5 ppm
Newfoundland & Labrador	OEL TWA [ppm]	5 ppm
Nova Scotia	OEL TWA [ppm]	5 ppm
Nunavut	OEL STEL [ppm]	7.5 ppm
Nunavut	OEL TWA [ppm]	5 ppm
Northwest Territories	OEL STEL [ppm]	7.5 ppm
Northwest Territories	OEL TWA [ppm]	5 ppm
Ontario	OEL TWA [ppm]	5 ppm
Prince Edward Island	OEL TWA [ppm]	5 ppm
Québec	VEMP (OEL TWA)	19 mg/m <sup>3</sup>
Québec	VEMP (OEL TWA) [ppm]	5 ppm
Saskatchewan	OEL STEL [ppm]	7.5 ppm
Saskatchewan	OEL TWA [ppm]	5 ppm
Yukon	OEL STEL	38 mg/m <sup>3</sup>
Yukon	OEL STEL [ppm]	10 ppm
Yukon	OEL TWA	19 mg/m <sup>3</sup>
Yukon	OEL TWA [ppm]	5 ppm
<b>1,3-Benzenedimethanamine (1477-55-0)</b>		
USA ACGIH	ACGIH OEL Ceiling [ppm]	0.018 ppm
USA ACGIH	ACGIH chemical category	Skin - potential significant contribution to overall exposure by the cutaneous route
USA NIOSH	NIOSH REL (Ceiling)	0.1 mg/m <sup>3</sup>
Alberta	OEL C	0.1 mg/m <sup>3</sup>
British Columbia	OEL C	0.1 mg/m <sup>3</sup>
Manitoba	OEL Ceiling [ppm]	0.018 ppm
New Brunswick	OEL C	0.1 mg/m <sup>3</sup>
Newfoundland & Labrador	OEL Ceiling [ppm]	0.018 ppm
Nova Scotia	OEL Ceiling [ppm]	0.018 ppm
Nunavut	OEL C	0.1 mg/m <sup>3</sup>
Northwest Territories	OEL C	0.1 mg/m <sup>3</sup>
Ontario	OEL C	0.1 mg/m <sup>3</sup>
Prince Edward Island	OEL Ceiling [ppm]	0.018 ppm
Québec	Plafond (OEL Ceiling)	0.1 mg/m <sup>3</sup>
Saskatchewan	OEL C	0.1 mg/m <sup>3</sup>
Yukon	OEL C	0.1 mg/m <sup>3</sup>
<b>Tetraethylenepentamine (112-57-2)</b>		
USA AIHA	WEEL TWA	5 mg/m <sup>3</sup>
USA AIHA	AIHA chemical category	skin notation, Skin sensitizer
<b>Bisphenol A (80-05-7)</b>		
Yukon	OEL C	2.8 mg/m <sup>3</sup>
Yukon	OEL Ceiling [ppm]	0.05 ppm

## 8.2. Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when toxic gases may be released. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Face shield.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Corrosion-proof clothing.

**Hand Protection:** Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles and face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Amber
Odor	: Amine
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: 1.03
Specific Gravity	: Not available
Solubility	: Not available
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Water
- 10.6. Hazardous Decomposition Products:** Thermal decomposition generates: Carbon monoxide, carbon dioxide, nitrogen oxides and non-combusted hydrocarbons (smoke). Corrosive vapors.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on Toxicological Effects - Product

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Acute Toxicity (Oral):** Harmful if swallowed.

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Harmful if inhaled.

**LD50 and LC50 Data:**

SPARTACOTE™ Epoxy Membrane Part B	
ATE US/CA (oral)	1,470.48 mg/kg body weight
ATE US/CA (dust, mist)	4.61 mg/l/4h

**Skin Corrosion/Irritation:** Causes severe skin burns.

**Eye Damage/Irritation:** Causes serious eye damage.

**Respiratory or Skin Sensitization:** May cause an allergic skin reaction.

**Germ Cell Mutagenicity:** Suspected of causing genetic defects.

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** May cause damage to organs through prolonged or repeated exposure.

**Reproductive Toxicity:** May damage fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** Causes damage to organs(Liver, kidneys, skin, nervous system).

**Aspiration Hazard:** May be fatal if swallowed and enters airways.

**Symptoms/Injuries After Inhalation:** Inhalation is likely to cause adverse health effects including but not limited to: irritation, difficulty breathing, and unconsciousness. May be corrosive to the respiratory tract.

**Symptoms/Injuries After Skin Contact:** May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns.

**Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Aspiration into the lungs can occur during ingestion or vomiting and may cause lung injury.

**Chronic Symptoms:** Suspected of causing genetic defects. May damage fertility or the unborn child.

### 11.2. Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

Phenol, 4-nonyl-, branched (84852-15-3)	
LD50 Oral Rat	1300 mg/kg
LD50 Dermal Rabbit	2000 mg/kg
Benzyl alcohol (100-51-6)	
LD50 Oral Rat	1230 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LD50 Intravenous Rat	53 mg/kg
LC50 Inhalation Rat	> 4.178 mg/l/4h
Phenol (108-95-2)	
LD50 Oral Rat	340 mg/kg
LD50 Dermal Rabbit	630 mg/kg
2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)	
LD50 Oral Rat	1200 mg/kg
LD50 Dermal Rat	1280 mg/kg
1,3-Benzenedimethanamine (1477-55-0)	
LD50 Oral Rat	1090 mg/kg (Species: Wistar)
LD50 Dermal Rabbit	2 g/kg
LC50 Inhalation Rat	350 ppm/4h
LC50 Inhalation Rat	1.34 mg/l/4h (Species: Wistar)
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)- (9046-10-0)	
LD50 Oral Rat	2885 mg/kg (Specoes: Sprague-Dawley)
LD50 Dermal Rabbit	2980 mg/kg
Tetraethylenepentamine (112-57-2)	
LD50 Dermal Rabbit	660 – 1260 mg/kg

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>Bisphenol A (80-05-7)</b>	
LD50 Oral Rat	3300 mg/kg
LD50 Dermal Rabbit	3000 mg/kg
LC50 Inhalation Rat	> 170 mg/m <sup>3</sup> (Exposure time: 6 h)

<b>Phenol (108-95-2)</b>	
IARC Group	3
National Toxicology Program (NTP) Status	Twelfth Report - Items under consideration.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecology - General: Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

<b>Phenol, 4-nonyl-, branched (84852-15-3)</b>	
LC50 Fish 1	0.135 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	0.14 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	0.1351 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
NOEC Chronic Fish	0.006

<b>Benzyl alcohol (100-51-6)</b>	
LC50 Fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 Fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
ErC50 algae	770 mg/l

<b>Phenol (108-95-2)</b>	
LC50 Fish 1	11.9 – 50.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	4.24 – 10.7 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 Fish 2	20.5 – 25.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	10.2 – 15.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
NOEC Chronic Fish	0.75 mg/l

<b>2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)</b>	
ErC50 algae	84 mg/l
NOEC Chronic Algae	6.25 g/l

<b>1,3-Benzenedimethanamine (1477-55-0)</b>	
LC50 Fish 1	75 mg/l
EC50 - Crustacea [1]	15 mg/l
NOEC Chronic Crustacea	4.7 mg/l

<b>Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)- (9046-10-0)</b>	
EC50 - Crustacea [1]	80 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
NOEC Chronic Crustacea	18 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

<b>Tetraethylenepentamine (112-57-2)</b>	
LC50 Fish 1	420 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static])
EC50 - Crustacea [1]	24.1 mg/l (Exposure time: 48 h - Species: Daphnia magna)
ErC50 algae	0.12 mg/l

<b>Bisphenol A (80-05-7)</b>	
LC50 Fish 1	3.6 (3.6 – 5.4) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	10.2 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	4 (4 – 5.5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	3.9 mg/l (Exposure time: 48 h - Species: Daphnia magna)
NOEC Chronic Fish	0.16 mg/l

### 12.2. Persistence and Degradability

<b>SPARTACOTE™ Epoxy Membrane Part B</b>	
Persistence and Degradability	May cause long-term adverse effects in the environment.

# SPARTACOTE™ Epoxy Membrane Part B

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

## 12.3. Bioaccumulative Potential

SPARTACOTE™ Epoxy Membrane Part B	
Bioaccumulative Potential	Not established.
Phenol, 4-nonyl-, branched (84852-15-3)	
BCF Fish 1	271
Benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1
Phenol (108-95-2)	
BCF Fish 1	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.5
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)- (9046-10-0)	
Partition coefficient n-octanol/water (Log Kow)	0
Tetraethylenepentamine (112-57-2)	
BCF Fish 1	(no bioaccumulation expected)
Partition coefficient n-octanol/water (Log Pow)	< 1
Bisphenol A (80-05-7)	
BCF Fish 1	5.1 – 13.8
Partition coefficient n-octanol/water (Log Pow)	2.2

12.4. Mobility in Soil Not available

## 12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

### 14.1. In Accordance with DOT

**Proper Shipping Name** : CORROSIVE LIQUIDS, N.O.S.CONTAINS : Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

**Hazard Class** : 8

**Identification Number** : UN1760

**Label Codes** : 8

**Packing Group** : II

**Marine Pollutant** : Marine pollutant

**ERG Number** : 154

### 14.2. In Accordance with IMDG

**Proper Shipping Name** : CORROSIVE LIQUIDS, N.O.S.CONTAINS : Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

**Hazard Class** : 8

**Identification Number** : UN1760

**Label Codes** : 8



# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Packing Group** : II  
**EmS-No. (Fire)** : F-A  
**EmS-No. (Spillage)** : S-B  
**Marine pollutant** : Marine pollutant

### 14.3. In Accordance with IATA

**Proper Shipping Name** : CORROSIVE LIQUIDS, N.O.S.CONTAINS : Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

**Hazard Class** : 8  
**Identification Number** : UN1760  
**Label Codes** : 8



**Packing Group** : II  
**ERG Code (IATA)** : 8L

### 14.4. In Accordance with TDG

**Proper Shipping Name** : CORROSIVE LIQUIDS, N.O.S.CONTAINS : Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

**Hazard Class** : 8  
**Identification Number** : UN1760  
**Label Codes** : 8



**Packing Group** : II  
**Marine Pollutant (TDG)** : Marine pollutant

## SECTION 15: REGULATORY INFORMATION

### 15.1. US Federal Regulations

<b>SPARTACOTE™ Epoxy Membrane Part B</b>	
<b>SARA Section 311/312 Hazard Classes</b>	Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Respiratory or skin sensitization Health hazard - Germ cell mutagenicity Health hazard - Reproductive toxicity Health hazard - Acute toxicity (any route of exposure) Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation Health hazard - Aspiration hazard
<b>Phenol, 4-nonyl-, branched (84852-15-3)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>EPA TSCA Regulatory Flag</b>	SP - SP - indicates a substance that is identified in a proposed Significant New Uses Rule.
<b>SARA Section 313 - Emission Reporting</b>	1 %
<b>Benzyl alcohol (100-51-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Phenol (108-95-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302 Subject to reporting requirements of United States SARA Section 313	
<b>CERCLA RQ</b>	1000 lb
<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	500 – 10000 lb
<b>SARA Section 313 - Emission Reporting</b>	1 %
<b>2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>1,3-Benzenedimethanamine (1477-55-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

<b>Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)- (9046-10-0)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>EPA TSCA Regulatory Flag</b>	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
<b>Tall oil fatty acids, reaction product with Tetraethylene pentamine (68953-36-6)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Tetraethylenepentamine (112-57-2)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
<b>Bisphenol A (80-05-7)</b>	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313	
<b>SARA Section 313 - Emission Reporting</b>	1 %

### 15.2. US State Regulations

#### California Proposition 65

 **WARNING:** This product can expose you to Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Bisphenol A (80-05-7)			X	

<b>Benzyl alcohol (100-51-6)</b>
U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List

<b>Phenol (108-95-2)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

<b>1,3-Benzenedimethanamine (1477-55-0)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List

<b>Tetraethylenepentamine (112-57-2)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List

<b>Bisphenol A (80-05-7)</b>
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List U.S. - Massachusetts - Right To Know List U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

### 15.3. Canadian Regulations

<b>Phenol, 4-nonyl-, branched (84852-15-3)</b>
Listed on the Canadian DSL (Domestic Substances List)

<b>Benzyl alcohol (100-51-6)</b>
Listed on the Canadian DSL (Domestic Substances List)

<b>Phenol (108-95-2)</b>
Listed on the Canadian DSL (Domestic Substances List)

<b>2,4,6-Tri(dimethylaminomethyl)phenol (90-72-2)</b>
Listed on the Canadian DSL (Domestic Substances List)

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

### 1,3-Benzenedimethanamine (1477-55-0)

Listed on the Canadian DSL (Domestic Substances List)

### Poly[oxy(methyl-1,2-ethanediyl)], -alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)- (9046-10-0)

Listed on the Canadian DSL (Domestic Substances List)

### Tall oil fatty acids, reaction product with Tetraethylene pentamine (68953-36-6)

Listed on the Canadian DSL (Domestic Substances List)

### Tetraethylenepentamine (112-57-2)

Listed on the Canadian DSL (Domestic Substances List)

### Bisphenol A (80-05-7)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 03/10/2021

### Revision

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

### GHS Full Text Phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Muta. 2	Germ cell mutagenicity Category 2
Repr. 1B	Reproductive toxicity Category 1B
Repr. 2	Reproductive toxicity Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Corr. 1C	Skin corrosion/irritation Category 1C
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H227	Combustible liquid

# SPARTACOTE™ Epoxy Membrane Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child
H370	Causes damage to organs(Liver, kidneys, skin, nervous system)
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

NA GHS SDS 2015 (Can, US)