

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Date of Issue: 08/14/2019 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: SPARTACOTE™ Vertical WB Part A

1.2. Intended Use of the Product

Wall & Ceiling Coating.

1.3. Name, Address, and Telephone of the Responsible Party

Company Company

LATICRETE International LATICRETE Canada ULC

1 Laticrete Park, N PO Box 129, Emeryville, Ontario, Canada

Bethany, CT 06524 NOR-1A0 T (203)-393-0010 (833)-254-9255

www.laticrete.com

1.4. Emergency Telephone Number

Emergency Number: For Chemical Emergency call ChemTel Inc. day or night:

(800)255-3924 (North America) (800)-099-0731 (Mexico)

+1 (813)248-0585 (International - collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Aquatic Acute 3 H402

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US/CA Labeling

Hazard Statements (GHS-US/CA) : H402 - Harmful to aquatic life.

Precautionary Statements (GHS-US/CA): P273 - Avoid release to the environment.

P501 - Dispose of contents/container in accordance with local, regional, national,

territorial, provincial, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|--|----------------------|-----|--------------------------------------|
| 2-Propanol, 1-(2-butoxy-1- methylethoxy)- | (CAS-No.) 29911-28-2 | < 5 | Not classified |
| Triethanolamine | (CAS-No.) 102-71-6 | < 2 | Not classified |
| Ammonia | (CAS-No.) 7664-41-7 | < 1 | Flam. Gas 2, H221 |
| | | | Acute Tox. 3 (Inhalation:gas), H331 |
| | | | Skin Corr. 1B, H314 |
| | | | Eye Dam. 1, H318 |
| | | | STOT SE 3, H335 |
| | | | Aquatic Acute 1, H400 |
| | | | Aquatic Chronic 2, H411 |

08/14/2019 EN (English US) 1/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes. **Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. **Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen oxides.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

08/14/2019 EN (English US) 2/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Oxidizers. Acids.

7.3. Specific End Use(s)

Wall & Ceiling Coating.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| Triethanolamine (102-71-6) | | | |
|----------------------------|--------------------------|-----------------------|--|
| USA ACGIH | ACGIH TWA (mg/m³) | 5 mg/m³ | |
| Alberta | OEL TWA (mg/m³) | 5 mg/m³ | |
| British Columbia | OEL TWA (mg/m³) | 5 mg/m³ | |
| Manitoba | OEL TWA (mg/m³) | 5 mg/m³ | |
| New Brunswick | OEL TWA (mg/m³) | 5 mg/m³ | |
| Newfoundland & Labrador | OEL TWA (mg/m³) | 5 mg/m³ | |
| Nova Scotia | OEL TWA (mg/m³) | 5 mg/m³ | |
| Nunavut | OEL STEL (mg/m³) | 10 mg/m³ | |
| Nunavut | OEL TWA (mg/m³) | 5 mg/m³ | |
| Northwest Territories | OEL STEL (mg/m³) | 10 mg/m³ | |
| Northwest Territories | OEL TWA (mg/m³) | 5 mg/m³ | |
| Ontario | OEL TWA (mg/m³) | 3.1 mg/m ³ | |
| Ontario | OEL TWA (ppm) | 0.5 ppm | |
| Prince Edward Island | OEL TWA (mg/m³) | 5 mg/m³ | |
| Québec | VEMP (mg/m³) | 5 mg/m³ | |
| Saskatchewan | OEL STEL (mg/m³) | 10 mg/m³ | |
| Saskatchewan | OEL TWA (mg/m³) | 5 mg/m³ | |
| Ammonia (7664-41-7) | Ammonia (7664-41-7) | | |
| USA ACGIH | ACGIH TWA (ppm) | 25 ppm | |
| USA ACGIH | ACGIH STEL (ppm) | 35 ppm | |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 35 mg/m³ | |
| USA OSHA | OSHA PEL (TWA) (ppm) | 50 ppm | |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 18 mg/m³ | |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 25 ppm | |
| USA NIOSH | NIOSH REL (STEL) (mg/m³) | 27 mg/m³ | |

08/14/2019 EN (English US) 3/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| USA NIOSH | NIOSH REL (STEL) (ppm) | 35 ppm |
|-------------------------|------------------------|----------------------|
| USA IDLH | US IDLH (ppm) | 300 ppm |
| Alberta | OEL STEL (mg/m³) | 24 mg/m³ |
| Alberta | OEL STEL (ppm) | 35 ppm |
| Alberta | OEL TWA (mg/m³) | 17 mg/m³ |
| Alberta | OEL TWA (ppm) | 25 ppm |
| British Columbia | OEL STEL (ppm) | 35 ppm |
| British Columbia | OEL TWA (ppm) | 25 ppm |
| Manitoba | OEL STEL (ppm) | 35 ppm |
| Manitoba | OEL TWA (ppm) | 25 ppm |
| New Brunswick | OEL STEL (mg/m³) | 24 mg/m³ |
| New Brunswick | OEL STEL (ppm) | 35 ppm |
| New Brunswick | OEL TWA (mg/m³) | 17 mg/m³ |
| New Brunswick | OEL TWA (ppm) | 25 ppm |
| Newfoundland & Labrador | OEL STEL (ppm) | 35 ppm |
| Newfoundland & Labrador | OEL TWA (ppm) | 25 ppm |
| Nova Scotia | OEL STEL (ppm) | 35 ppm |
| Nova Scotia | OEL TWA (ppm) | 25 ppm |
| Nunavut | OEL STEL (ppm) | 35 ppm |
| Nunavut | OEL TWA (ppm) | 25 ppm |
| Northwest Territories | OEL STEL (ppm) | 35 ppm |
| Northwest Territories | OEL TWA (ppm) | 25 ppm |
| Ontario | OEL STEL (ppm) | 35 ppm |
| Ontario | OEL TWA (ppm) | 25 ppm |
| Prince Edward Island | OEL STEL (ppm) | 35 ppm |
| Prince Edward Island | OEL TWA (ppm) | 25 ppm |
| Québec | VECD (mg/m³) | 24 mg/m³ |
| Québec | VECD (ppm) | 35 ppm |
| Québec | VEMP (mg/m³) | 17 mg/m ³ |
| Québec | VEMP (ppm) | 25 ppm |
| Saskatchewan | OEL STEL (ppm) | 35 ppm |
| Saskatchewan | OEL TWA (ppm) | 25 ppm |
| Yukon | OEL STEL (mg/m³) | 30 mg/m ³ |
| Yukon | OEL STEL (ppm) | 40 ppm |
| Yukon | OEL TWA (mg/m³) | 18 mg/m³ |
| Yukon | OEL TWA (ppm) | 25 ppm |

8.2. Exposure Controls

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.







Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

08/14/2019 EN (English US) 4/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: VariesOdor: Mild

Odor Threshold Not available Not available **Evaporation Rate** Not available **Melting Point** Not available **Freezing Point** Not available **Boiling Point** ≈ 100 °C (212 °F) **Flash Point** > 100 °C (212 °F) **Auto-ignition Temperature** Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not applicable **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20°C Not available **Relative Density** Not available **Specific Gravity** Not available Solubility Water: Soluble

SECTION 10: STABILITY AND REACTIVITY

Partition Coefficient: N-Octanol/Water

Viscosity

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- **10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials: Oxidizers. Acids.
- 10.6. Hazardous Decomposition Products: Thermal decomposition may produce: Carbon oxides (CO, CO₂). Nitrogen oxides.

Not available

Not available

Aldehydes. Ketones. Organic acids.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified
LD50 and LC50 Data: Not available
Skin Corrosion/Irritation: Not classified
Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

08/14/2019 EN (English US) 5/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects. Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| 2-Propanol, 1-(2-butoxy-1-methylethoxy)- (29911-28-2) | | |
|---|----------------------------------|--|
| LD50 Oral Rat | 3700 mg/kg (Species: Wistar) | |
| LC50 Inhalation Rat | 42.1 ppm/4h | |
| Triethanolamine (102-71-6) | | |
| LD50 Oral Rat | 6400 mg/kg | |
| LD50 Dermal Rabbit | > 2000 mg/kg | |
| Ammonia (7664-41-7) | | |
| LD50 Oral Rat | 350 mg/kg | |
| LC50 Inhalation Rat | 5.1 mg/l (Exposure time: 1 h) | |
| LC50 Inhalation Rat | 2000 ppm/4h (Exposure time: 4 h) | |
| Triethanolamine (102-71-6) | | |
| IARC Group | 3 | |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Harmful to aquatic life.

| 2-Propanol, 1-(2-butoxy-1-methylethoxy)- (29911-28-2) | | |
|---|---|--|
| LC50 Fish 1 | 841 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static]) | |
| ErC50 (algae) | 556.4 mg/l | |
| Triethanolamine (102-71-6) | | |
| LC50 Fish 1 | 10600 (10600 - 13000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow- | |
| | through]) | |
| EC50 Daphnia 1 | 1386 mg/l | |
| LC50 Fish 2 | 1000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | |
| ErC50 (algae) | 169 mg/l | |
| NOEC Chronic Crustacea | 16 mg/l | |
| Ammonia (7664-41-7) | | |
| EC50 Daphnia 1 | 25.4 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| LC50 Fish 2 | 0.26 - 4.6 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) | |

12.2. Persistence and Degradability

| SPARTACOTE™ Vertical WB Part A | |
|--------------------------------|------------------|
| Persistence and Degradability | Not established. |

12.3. Bioaccumulative Potential

| | ······ | |
|--------------------------------|------------------|--|
| SPARTACOTE™ Vertical WB Part A | | |
| Bioaccumulative Potential | Not established. | |
| Triethanolamine (102-71-6) | | |
| BCF Fish 1 | 3.9 | |
| Log Pow | -2.53 | |
| Ammonia (7664-41-7) | | |
| Log Pow | -1.14 (at 25 °C) | |

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

08/14/2019 EN (English US) 6/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport14.3. In Accordance with IATA Not regulated for transport

14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

| <u> </u> | | |
|---|---|--|
| 2-Propanol, 1-(2-butoxy-1-methylethoxy)- (29911-28-2) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Triethanolamine (102-71-6) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Ammonia (7664-41-7) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Listed on the United States SARA Section 302 | | |
| Subject to reporting requirements of United States SARA Section 313 | | |
| CERCLA RQ | 100 lb | |
| SARA Section 302 Threshold Planning Quantity (TPQ) | 500 lb | |
| SARA Section 313 - Emission Reporting | 1 % (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing) | |

15.2. US State Regulations

| Triethanolan | nina | (102- | 71_6\ |
|-----------------|------|-------|--------|
| HITELIIAIIVIAII | me | LIUZ- | / T-O1 |

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ammonia (7664-41-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

15.3. Canadian Regulations

2-Propanol, 1-(2-butoxy-1-methylethoxy)- (29911-28-2)

Listed on the Canadian DSL (Domestic Substances List)

Triethanolamine (102-71-6)

Listed on the Canadian DSL (Domestic Substances List)

Ammonia (7664-41-7)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest : 08/14/2019

Revision

08/14/2019 EN (English US) 7/8

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

| Acute Tox. 3 (Inhalation:gas) | Acute toxicity (inhalation:gas) Category 3 |
|-------------------------------|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment - Chronic Hazard Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Flam. Gas 2 | Flammable gases Category 2 |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| H221 | Flammable gas |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |
| H331 | Toxic if inhaled |
| H335 | May cause respiratory irritation |
| H400 | Very toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H411 | Toxic to aquatic life with long lasting effects |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)

08/14/2019 EN (English US) 8/8