



SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Revision Date: 01/26/2022

Date of Issue: 01/05/2021

Version: 1.1

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: SPARTACOTE® Universal Pigment - Dark Beige

1.2. Intended Use of the Product

Coating Pigment Additive.

1.3. Name, Address, and Telephone of the Responsible Party

Company

LATICRETE International

1 Laticrete Park, N

Bethany, CT 06524

T (203)-393-0010

www.laticrete.com

Company

LATICRETE Canada ULC

PO Box 129, Emeryville, Ontario, Canada

NOR-1A0

(833)-254-9255

1.4. Emergency Telephone Number

Emergency Number : For Chemical Emergency call ChemTel Inc. day or night:

(800)255-3924 (North America)

(800)-099-0731 (Mexico)

+1 (813)248-0585 (International - collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Not classified

2.2. Label Elements

GHS-US/CA Labeling

No labeling applicable according to 29 CFR 1910.1200 and the Hazardous Products Regulations (HPR) SOR/2015-17.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product Identifier | % * | GHS Ingredient Classification |
|--|----------------------|-----------|---|
| Titanium dioxide | (CAS-No.) 13463-67-7 | 56 – 94 | Not classified |
| Carbon black | (CAS-No.) 1333-86-4 | 0.3 – 0.7 | Acute Tox. 4 (Inhalation:dust,mist), H332 Comb. Dust |
| Iron oxide (Fe ₂ O ₃) | (CAS-No.) 1309-37-1 | 0.2 – 0.3 | Comb. Dust |

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use. However, titanium dioxide and carbon black are dissolved in liquid and are likely not to become airborne. Thus, the hazards usually associated are not applicable to this product.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Metal oxide fumes. Carbon oxides (CO, CO₂).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

5.4. Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Avoid prolonged contact with eyes, skin and clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Avoid the use of Cellulose, Mineral, and Clay-Based absorbents.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Iron oxide present in this product may become unstable at temperatures above 120°F (49°C) and slowly auto-oxide to Fe₂O₃ to release additional heat which could be sufficient to cause combustible materials to ignite.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Avoid contact with skin, eyes and clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Alkali metals. Strong acids, strong bases, strong oxidizers and reducing agents.

7.3. Specific End Use(s)

Coating Pigment Additive.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

| Titanium dioxide (13463-67-7) | | |
|-------------------------------|--------------------------------------|---|
| USA ACGIH | ACGIH TWA (mg/m ³) | 10 mg/m ³ |
| USA ACGIH | ACGIH chemical category | Not Classifiable as a Human Carcinogen |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ (total dust) |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 2.4 mg/m ³ (CIB 63-fine) 0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale) |
| USA IDLH | US IDLH (mg/m ³) | 5000 mg/m ³ |
| Alberta | OEL TWA (mg/m ³) | 10 mg/m ³ |
| British Columbia | OEL TWA (mg/m ³) | 10 mg/m ³ (total dust) 3 mg/m ³ (respirable fraction) |
| Manitoba | OEL TWA (mg/m ³) | 10 mg/m ³ |
| New Brunswick | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Nova Scotia | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Nunavut | OEL STEL (mg/m ³) | 20 mg/m ³ |
| Nunavut | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Northwest Territories | OEL STEL (mg/m ³) | 20 mg/m ³ |
| Northwest Territories | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Ontario | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Prince Edward Island | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Québec | VEMP (mg/m ³) | 10 mg/m ³ (containing no Asbestos and <1% Crystalline silica-total dust) |
| Saskatchewan | OEL STEL (mg/m ³) | 20 mg/m ³ |
| Saskatchewan | OEL TWA (mg/m ³) | 10 mg/m ³ |
| Yukon | OEL STEL (mg/m ³) | 20 mg/m ³ |
| Yukon | OEL TWA (mg/m ³) | 30 mppcf 10 mg/m ³ |
| Carbon black (1333-86-4) | | |
| USA ACGIH | ACGIH TWA (mg/m ³) | 3 mg/m ³ (inhalable particulate matter) |
| USA ACGIH | ACGIH chemical category | Confirmed Animal Carcinogen with Unknown Relevance to Humans |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 3.5 mg/m ³ |

SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|---|--------------------------------------|---|
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 3.5 mg/m ³ 0.1 mg/m ³ (Carbon black in presence of Polycyclic aromatic hydrocarbons) |
| USA IDLH | US IDLH (mg/m ³) | 1750 mg/m ³ |
| Alberta | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| British Columbia | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable) |
| Manitoba | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable particulate matter) |
| New Brunswick | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable particulate matter) |
| Nova Scotia | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable particulate matter) |
| Nunavut | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Nunavut | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Northwest Territories | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Northwest Territories | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Ontario | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable particulate matter) |
| Prince Edward Island | OEL TWA (mg/m ³) | 3 mg/m ³ (inhalable particulate matter) |
| Québec | VEMP (mg/m ³) | 3 mg/m ³ (inhalable dust) |
| Saskatchewan | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Saskatchewan | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Yukon | OEL STEL (mg/m ³) | 7 mg/m ³ |
| Yukon | OEL TWA (mg/m ³) | 3.5 mg/m ³ |
| Iron oxide (Fe₂O₃) (1309-37-1) | | |
| USA ACGIH | ACGIH TWA (mg/m ³) | 5 mg/m ³ (respirable particulate matter) |
| USA ACGIH | ACGIH chemical category | Not Classifiable as a Human Carcinogen |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 10 mg/m ³ (fume) 15 mg/m ³ (total dust (Rouge)) 5 mg/m ³ (respirable fraction (Rouge)) |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 5 mg/m ³ (dust and fume) |
| USA IDLH | US IDLH (mg/m ³) | 2500 mg/m ³ (dust and fume) |
| Alberta | OEL TWA (mg/m ³) | 5 mg/m ³ (respirable) |
| British Columbia | OEL STEL (mg/m ³) | 10 mg/m ³ (fume) |
| British Columbia | OEL TWA (mg/m ³) | 10 mg/m ³ (regulated under Rouge-total particulate (Rouge)) 3 mg/m ³ (regulated under Rouge: particulate matter containing no Asbestos and <1% Crystalline silica-respirable particulate (Rouge)) 5 mg/m ³ (dust and fume) |
| Manitoba | OEL TWA (mg/m ³) | 5 mg/m ³ (respirable particulate matter) |
| New Brunswick | OEL TWA (mg/m ³) | 5 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica, dust and fume) 10 mg/m ³ (regulated under Rouge-particulate matter containing no Asbestos and <1% Crystalline silica) |
| Newfoundland & Labrador | OEL TWA (mg/m ³) | 5 mg/m ³ (respirable particulate matter) |
| Nova Scotia | OEL TWA (mg/m ³) | 5 mg/m ³ (respirable particulate matter) |
| Nunavut | OEL STEL (mg/m ³) | 10 mg/m ³ (dust and fume) 20 mg/m ³ (regulated under Rouge) |
| Nunavut | OEL TWA (mg/m ³) | 5 mg/m ³ (dust and fume) 10 mg/m ³ (regulated under Rouge) |
| Northwest Territories | OEL STEL (mg/m ³) | 10 mg/m ³ (dust and fume) 20 mg/m ³ (regulated under Rouge) |
| Northwest Territories | OEL TWA (mg/m ³) | 5 mg/m ³ (dust and fume) 10 mg/m ³ (regulated under Rouge) |

SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | | |
|----------------------|-------------------------------|---|
| Ontario | OEL TWA (mg/m ³) | 5 mg/m ³ (respirable particulate matter) |
| Prince Edward Island | OEL TWA (mg/m ³) | 5 mg/m ³ (respirable particulate matter) |
| Québec | VEMP (mg/m ³) | 5 mg/m ³ (dust and fume) 10 mg/m ³ (containing no Asbestos and <1% Crystalline silica, regulated under Rouge-total dust) |
| Saskatchewan | OEL STEL (mg/m ³) | 10 mg/m ³ (dust and fume) 20 mg/m ³ (regulated under Rouge) |
| Saskatchewan | OEL TWA (mg/m ³) | 5 mg/m ³ (dust and fume) 10 mg/m ³ (regulated under Rouge) |
| Yukon | OEL STEL (mg/m ³) | 10 mg/m ³ (fume) 20 mg/m ³ (regulated under Rouge) |
| Yukon | OEL TWA (mg/m ³) | 5 mg/m ³ (fume) 30 mppcf (regulated under Rouge) 10 mg/m ³ (regulated under Rouge) |

8.2. Exposure Controls

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

| | |
|--------------------------------|------------------|
| Physical State | : Liquid |
| Appearance | : Dark Beige |
| Odor | : Not available |
| Odor Threshold | : Not available |
| pH | : Not available |
| Evaporation Rate | : Not available |
| Melting Point | : Not available |
| Freezing Point | : Not available |
| Boiling Point | : Not available |
| Flash Point | : Not available |
| Auto-ignition Temperature | : Not available |
| Decomposition Temperature | : Not available |
| Flammability (solid, gas) | : Not applicable |
| Lower Flammable Limit | : Not available |
| Upper Flammable Limit | : Not available |
| Vapor Pressure | : Not available |
| Relative Vapor Density at 20°C | : Not available |
| Relative Density | : Not available |
| Specific Gravity | : 2.05 - 2.075 |

SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

| | |
|---|--------------------|
| Solubility | : Water: Insoluble |
| Partition Coefficient: N-Octanol/Water | : Not available |
| Viscosity | : Not available |

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. Incompatible Materials:** Alkali metals. Strong acids, strong bases, strong oxidizers and reducing agents.
- 10.6. Hazardous Decomposition Products:** Thermal decomposition may produce: Carbon oxides (CO, CO₂). Metal oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use. However, titanium dioxide and carbon black are dissolved in liquid and are likely not to become airborne. Thus, the hazards usually associated are not applicable to this product.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

| | |
|---|---|
| Titanium dioxide (13463-67-7) | |
| LD50 Oral Rat | > 10000 mg/kg |
| Carbon black (1333-86-4) | |
| LD50 Oral Rat | > 8000 mg/kg |
| LC50 Inhalation Rat | > 4.6 mg/m ³ (Exposure time: 4 h) |
| ATE US/CA (dust, mist) | 1.50 mg/l/4h |
| Iron oxide (Fe₂O₃) (1309-37-1) | |
| LD50 Oral Rat | > 10000 mg/kg |
| Titanium dioxide (13463-67-7) | |
| IARC Group | 2B |
| OSHA Hazard Communication Carcinogen List | In OSHA Hazard Communication Carcinogen list. |
| Carbon black (1333-86-4) | |
| IARC Group | 2B |
| OSHA Hazard Communication Carcinogen List | In OSHA Hazard Communication Carcinogen list. |
| Iron oxide (Fe₂O₃) (1309-37-1) | |
| IARC Group | 3 |

SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity No additional information available

| | |
|---------------------------------------|---|
| Carbon black (1333-86-4) | |
| EC50 Daphnia 1 | 5600 mg/l (Exposure time: 24 h - Species: Daphnia magna) |
| Iron oxide (Fe2O3) (1309-37-1) | |
| LC50 Fish 1 | 100000 mg/l (Exposure time: 96 h - Species: Danio rerio [static]) |

12.2. Persistence and Degradability

| | |
|---|------------------|
| SPARTACOTE® Universal Pigment - Dark Beige | |
| Persistence and Degradability | Not established. |

12.3. Bioaccumulative Potential

| | |
|---|------------------|
| SPARTACOTE® Universal Pigment - Dark Beige | |
| Bioaccumulative Potential | Not established. |

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

| |
|---|
| Titanium dioxide (13463-67-7) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Carbon black (1333-86-4) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Iron oxide (Fe2O3) (1309-37-1) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |

15.2. US State Regulations

California Proposition 65



WARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Chemical Name (CAS No.) | Carcinogenicity | Developmental Toxicity | Female Reproductive Toxicity | Male Reproductive Toxicity |
|-------------------------------|-----------------|------------------------|------------------------------|----------------------------|
| Titanium dioxide (13463-67-7) | X | | | |
| Carbon black (1333-86-4) | X | | | |

| |
|--|
| Titanium dioxide (13463-67-7) |
| U.S. - New Jersey - Right to Know Hazardous Substance List |
| U.S. - Pennsylvania - RTK (Right to Know) List |
| U.S. - Massachusetts - Right To Know List |

SPARTACOTE® Universal Pigment - Dark Beige

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Carbon black (1333-86-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Massachusetts - Right To Know List

Iron oxide (Fe₂O₃) (1309-37-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

U.S. - Massachusetts - Right To Know List

15.3. Canadian Regulations

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

Carbon black (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List)

Iron oxide (Fe₂O₃) (1309-37-1)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest : 01/26/2022

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

| | |
|--|--|
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Comb. Dust | Combustible Dust |
| H332 | Harmful if inhaled |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)