

# SPARTACOTE® Surface Build UV Part B

 Safety Data Sheet

 According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous

 Products Regulation (February 11, 2015).

 Revision Date: 09/24/2021
 Date of Issue: 01/17/2020

 Version: 1.1

#### **SECTION 1: IDENTIFICATION**

1.1. Product Identifier Product Form: Mixture

Product Name: SPARTACOTE® Surface Build UV Part B

## 1.2. Intended Use of the Product

Flooring Curing Agent.

#### 1.3. Name, Address, and Telephone of the Responsible Party

Company	Company
LATICRETE International	LATICRETE Canada ULC
1 Laticrete Park, N	PO Box 129, Emeryville, Ontario, Canada
Bethany, CT 06524	NOR-1A0
Т (203)-393-0010	(833)-254-9255
www.laticrete.com	

#### **1.4.** Emergency Telephone Number

Emergency Number: For Chemical Emergency call ChemTel Inc. day or night:<br/>(800)255-3924 (North America)<br/>(800)-099-0731 (Mexico)<br/>+1 (813)248-0585 (International - collect calls accepted)

## SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

#### **GHS-US/CA Classification**

Flam. Liq. 4 Acute Tox. 4 (Oral) Acute Tox. 4	H227 H302 H332
(Inhalation:dust,mist)	
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1B	H317
STOT RE 2	H373
Aquatic Acute 2	H401

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA)	: Danger
Hazard Statements (GHS-US/CA)	: H227 - Combustible liquid.
	H302+H332 - Harmful if swallowed or if inhaled.
	H314 - Causes severe skin burns and eye damage.
	H317 - May cause an allergic skin reaction.
	H318 - Causes serious eye damage.
	H373 - May cause damage to organs (liver, skeletal muscle) through prolonged or
	repeated exposure.
	H401 - Toxic to aquatic life.
Precautionary Statements (GHS-US/CA)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P260 - Do not breathe mist, spray, vapors.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

- P264 Wash hands, forearms, and other exposed areas thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves, protective clothing, and eye protection.
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER or doctor.
- P314 Get medical advice/attention if you feel unwell.
- P321 Specific treatment (see section 4 on this SDS).
- P330 Rinse mouth.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P370+P378 In case of fire: Use appropriate media (see section 5) to extinguish.
- P403 Store in a well-ventilated place.
- P405 Store locked up.

P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

#### 2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

- Not applicable
- 3.2. Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Benzyl alcohol	(CAS-No.) 100-51-6	>= 35	Flam. Liq. 4, H227
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Eye Irrit. 2A, H319
			Aquatic Acute 2, H401
Cyclohexanamine, 4,4'-	(CAS-No.) 1761-71-3	<= 35	Acute Tox. 4 (Oral), H302
methylenebis-			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			Skin Sens. 1B, H317
			STOT RE 2, H373

Full text of H-phrases: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

#### Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention. Immediately call a poison center or doctor/physician.

**Skin Contact:** Immediately remove contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get immediate medical advice/attention.

**Eye Contact:** Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

**General:** Skin sensitization. Harmful if swallowed. Harmful if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (liver, skeletal muscle) through prolonged or repeated exposure.

**Inhalation:** Inhalation is likely to cause adverse health effects including but not limited to: irritation, difficulty breathing, and unconsciousness. May be corrosive to the respiratory tract.

Skin Contact: May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

**Ingestion:** This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: May cause damage to organs (liver, skeletal muscle) through prolonged or repeated exposure.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

#### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water may be ineffective but water should be used to keep fire-exposed container cool.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

#### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Combustible liquid.

Explosion Hazard: May form flammable or explosive vapor-air mixture.

**Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

#### 5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products**: Carbon oxides (CO, CO<sub>2</sub>). Ammonia. Nitrogen oxides. Nitric acid. Aldehydes. Unidentified hydrocarbons.

**Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

#### 5.4. Reference to Other Sections

#### Refer to Section 9 for flammability properties.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges. Do not breathe vapor, mist or spray.

#### 6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area. Eliminate ignition sources.

#### Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. Ventilate area.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Absorb and/or contain spill with inert material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Cautiously neutralize spilled liquid.

#### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable. May release corrosive vapors.

**Precautions for Safe Handling:** Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take precautionary measures against static discharge. Use only non-sparking tools. Handle empty containers with care because they may still present a hazard. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

**Storage Conditions:** Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place. Store in original container or corrosive resistant and/or lined container. Store locked up/in a secure area.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. galvanized surfaces.

#### 7.3. Specific End Use(s)

Flooring Curing Agent.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Benzyl alcohol (100-51-6)		
USA AIHA	WEEL TWA (ppm)	10 ppm

#### 8.2. Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapors may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Gas detectors should be used when toxic gases may be released. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Personal Protective Equipment:** Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Face shield.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing. Corrosion-proof clothing.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles and face shield.

Skin and Body Protection: Wear suitable protective clothing.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SECTION 9. PHYSICAL AND CHEWICAL PROP		24	
9.1. Information on Basic Physical and Chemical Properties			
Physical State	:	Liquid	
Appearance	:	Clear, Viscous	
Odor	:	Ammonia	
Odor Threshold	:	Not available	
рН	:	Not available	
Evaporation Rate	:	Not available	
Melting Point	:	0 °C (32 °F)	
Freezing Point	:	Not available	
Boiling Point	:	100 °C (212 °F)	
Flash Point	:	Not available	
Auto-ignition Temperature	:	Not available	
Decomposition Temperature	:	Not available	
Flammability (solid, gas)	:	Not applicable	
Lower Flammable Limit	:	Not available	
Upper Flammable Limit	:	Not available	
Vapor Pressure	:	Not available	
Relative Vapor Density at 20°C	:	Not available	
Relative Density	:	Not available	
Specific Gravity	:	0.99	
Solubility	:	Water: Soluble	
Partition Coefficient: N-Octanol/Water	:	Not available	
Viscosity	:	Not available	

#### **SECTION 10: STABILITY AND REACTIVITY**

**10.1. Reactivity:** Reacts violently with strong oxidizers. Increased risk of fire or explosion. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

**10.2.** Chemical Stability: Combustible liquid. May form flammable or explosive vapor-air mixture.

**10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

**10.5.** Incompatible Materials: Strong acids, strong bases, strong oxidizers. galvanized surfaces.

**10.6.** Hazardous Decomposition Products: Thermal decomposition generates: Corrosive vapors.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Harmful if swallowed.

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Harmful if inhaled.

#### LD50 and LC50 Data:

SPARTACOTE <sup>®</sup> Surface Build UV Part B	
ATE US/CA (oral)	1,575.91 mg/kg body weight
ATE US/CA (dust, mist)	4.29 mg/l/4h

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs (liver, skeletal muscle) through prolonged or repeated exposure.

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Inhalation is likely to cause adverse health effects including but not limited to: irritation, difficulty breathing, and unconsciousness. May be corrosive to the respiratory tract.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction. Causes severe irritation which will progress to chemical burns.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: May cause damage to organs (liver, skeletal muscle) through prolonged or repeated exposure.

#### 11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Benzyl alcohol (100-51-6)		
LD50 Oral Rat	1230 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LD50 Intravenous Rat	53 mg/kg	
LC50 Inhalation Rat	> 4.178 mg/l/4h	
ATE US/CA (dust, mist)	1.50 mg/l/4h	
Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)		
LD50 Oral Rat	1000 mg/kg	
LD50 Dermal Rabbit	2110 mg/kg (Species: New Zealand White)	

#### **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecology - General: Toxic to aquatic life.

Benzyl alcohol (100-51-6)	
LC50 Fish 1	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 Fish 2	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
ErC50 (algae)	770 mg/l

12.2. Persistence and Degradab	ility
SPARTACOTE <sup>®</sup> Surface Build UV Part	В
Persistence and Degradability	Not established.
12.3. Bioaccumulative Potential	
SPARTACOTE <sup>®</sup> Surface Build UV Part	В
<b>Bioaccumulative Potential</b>	Not established.
Benzyl alcohol (100-51-6)	
Log Pow	1.1
Cyclohexanamine, 4,4'-methylenebis	- (1761-71-3)
Log Pow	2.03

12.4. **Mobility in Soil** Not available

#### 12.5. **Other Adverse Effects**

Other Information: Avoid release to the environment.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable.

**Ecology** - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

#### **SECTION 14: TRANSPORT INFORMATION**

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with	DOT
Proper Shipping Name	: CORROSIVE LIQUIDS, N.O.S. (Cyclohexanamine, 4,4'-methylenebis-)
Hazard Class	: 8
Identification Number	: UN1760
Label Codes	: 8
Packing Group	: 11
ERG Number	: 154
14.2. In Accordance with	IMDG
Proper Shipping Name	: CORROSIVE LIQUID, N.O.S. (Cyclohexanamine, 4,4'-methylenebis-)
Hazard Class	: 8
Identification Number	: UN1760
Label Codes	: 8
Packing Group	: 11
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
14.3. In Accordance with	ΙΑΤΑ
Proper Shipping Name	: CORROSIVE LIQUID, N.O.S. (Cyclohexanamine, 4,4'-methylenebis-)
Hazard Class	: 8
Identification Number	: UN1760
Label Codes	: 8
Packing Group	: 11
ERG Code (IATA)	: 8L
14.4. In Accordance with	TDG
Proper Shipping Name	: CORROSIVE LIQUID, N.O.S. (Cyclohexanamine, 4,4'-methylenebis-)
Hazard Class	: 8
Identification Number	: UN1760
Label Codes	: 8
Packing Group	: II
SECTION 15. REGULATORY	INFORMATION

#### SECTION 15: REGULATORY INFORMATION 15.1. US Federal Regulations

# 15.1. US Federal Regulations SPARTACOTE® Surface Build UV Part B SARA Section 311/312 Hazard Classes Health hazard - Specific target organ toxicity (single or repeated exposure) Health hazard - Respiratory or skin sensitization Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Acute toxicity (any route of exposure) Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation Health hazard - Skin corrosion or Irritation

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## **SPARTACOTE™** Surface Build UV Part B

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

#### Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. US State Regulations

#### Benzyl alcohol (100-51-6)

U.S. - Massachusetts - Right To Know List

U.S. - Pennsylvania - RTK (Right to Know) List

#### 15.3. Canadian Regulations

#### Benzyl alcohol (100-51-6)

Listed on the Canadian DSL (Domestic Substances List)

Cyclohexanamine, 4,4'-methylenebis- (1761-71-3)

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

<b>Date of Preparation or Latest</b>
Revision
Other Information

: 09/24/2021

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 4	Flammable liquids Category 4
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Sens. 1B	Skin sensitization, category 1B
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H227	Combustible liquid
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H401	Toxic to aquatic life

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)