

5 Year Product Limited Warranty – Air Barrier (Canada)

DS-230.05AB CN

Globally Proven Construction Solutions

APPLICATION	PRODUCTS
Air Barrier Components [^]	Air Barrier C3 MVIS Air & Water Barrier LATAPOXY Waterproof Flashing Mortar LATICRETE Flashing Sealant
Bulk Water / Crack Isolation	MVIS WCI MVIS Air & Water Barrier
Thick Mortar Bed	MVIS Premium Mortar Bed MVIS Lite Wall Float
Adhesive Mortar	MVIS Veneer Mortar MVIS Hi-Bond Veneer Mortar MVIS Thin Brick Mortar MVIS Lightweight Mortar
Spot Bonding*	LATAPOXY 310 Stone Adhesive*
Joint Pointing / Grouting	MVIS Pointing Mortar MVIS Premium Pointing Mortar Base MVIS Epoxy Pointing Mortar
Joint Caulking [†]	LATASIL™ LATASIL 9118 Primer

[^] The air barrier components listed above are covered by this warranty only when used in conjunction with other installation components listed for each application. If Air Barrier component(s) are used without a direct adhered veneer then refer to LATICRETE 5 Year Product Air Barrier Warranty: DS 230.05 AB.

LIMITED WARRANTY

Subject to the conditions and limitations stated in this limited warranty statement (this "Limited Warranty"), LATICRETE INTERNATIONAL, INC. ("LATICRETE") warrants that the LATICRETE® products listed on this document ("Products") will be free from manufacturing defects and will not break down or deteriorate under normal usage when installed in accordance with the written specifications of LATICRETE and industry standard guidelines. For this Limited Warranty to apply, all of the applications that comprise the installation must be performed exclusively with one or more of the Products listed in this document for each application (refer to chart on the left). This Limited Warranty can also be found online at https://laticrete.com/en/support-and-downloads/product-support/warranties. LATICRETE'S responsibility for defective Products is limited to repair or replacement as described below in this Limited Warranty.

Installations must conform to all applicable building codes including the International Building Code (IBC), International Residential Code (IRC) requirements and TMS 402/602. Substrate deflection under all live, dead and impact loads, including concentrated loads, must not exceed L/600 where L=span length.

When applications exceed 30 ft. (9.1m) in height and/or 25,000 ft² (2,250 m²) in area, contact LATICRETE Technical Services.

NO ASSIGNMENT: SCOPE OF COVERAGE

LATICRETE extends this Limited Warranty only to the original purchaser of the Product ("you") and only for the duration of the Warranty Period. This Limited Warranty is not transferable or assignable. It does not extend to any subsequent owner or other transferee of the Product, and therefore there shall be no third party beneficiary to this Limited Warranty. If you purchased your Product from LATICRETE, you may obtain coverage under this Limited Warranty. AS TO ALL OTHERS, LATICRETE MAKES NO AND HEREBY DISCLAIMS ALL REPRESENTATIONS, WARRANTIES, COVENANTS, AND CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED, ARISING FROM OR RELATING TO THE PRODUCTS. INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS OF THE PRODUCT FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT, WHETHER ARISING FROM STATUTE, COMMON LAW, CUSTOM OR OTHERWISE.

WARRANTY PERIOD

This Limited Warranty starts on the date of your purchase of the Product and lasts for five (5) year (the "Warranty Period"). The Warranty Period is not extended if LATICRETE repairs or replaces your Product. LATICRETE may change the availability of this Limited Warranty at its discretion, but any changes will not be retroactive.

DISCLAIMER

FOR COMMERCIAL CUSTOMERS (INCLUDING SMALL, MEDIUM, AND LARGE BUSINESSES, PROFESSIONAL INSTALLERS, AND GOVERNMENT AND PUBLIC SECTOR CUSTOMERS) AND RESELLERS: This paragraph applies to you only if you purchase Products from LATICRETE for resale or for commercial or professional purposes. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. EXCEPT FOR THE LIMITED WARRANTY EXPRESSLY STATED ABOVE FOR LATICRETE PRODUCTS. LATICRETE PROVIDES NO WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OR CONDITION (1) OF MERCHANTABILITY, MERCHANTABLE QUALITY, FITNESS FOR A PARTICULAR PURPOSE. PERFORMANCE, SUITABILITY NONINFRINGEMENT; (2) RELATING TO ANY THIRD-PARTY PRODUCT; OR (3) REGARDING THE RESULTS TO BE OBTAINED FROM THE PRODUCT. LATICRETE EXPRESSLY DISCLAIMS ALL WARRANTIES AND CONDITIONS NOT STATED IN THIS LIMITED WARRANTY.

[†] Use of suitable flexible sealant required per Tile Council of America Detail EJ171 for use in expansion joints, coves, corners, changes in plane and other joints or wherever tile or stone abuts dissimilar materials or restraining surfaces. *For Concrete and CMU Substrate Exterior Facades only.



5 Year Product Limited Warranty – Air Barrier (Canada)

DS-230.05AB CN

Globally Proven Construction Solutions

FOR CONSUMERS: This section applies to you only if you purchase Products from LATICRETE that are normally used for personal, family or household purposes other than for resale, or for commercial or professional use.

IF YOU ARE A CONSUMER SUBJECT TO THE QUEBEC CONSUMER PROTECTION ACT, THE EXCLUSION CONTAINED IN THIS SECTION DOES NOT LIMIT YOUR RIGHTS AND REMEDIES UNDER SUCH ACT, INCLUDING THE RIGHT TO MAKE A CLAIM UNDER ANY OF THE STATUTORY WARRANTIES PROVIDED UNDER SECTIONS 34 TO 54 OF SUCH ACT.

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM PROVINCE TO PROVINCE. LATICRETE'S RESPONSIBILITY FOR DEFECTS IN MANUFACTURING OR FOR A PRODUCT'S BREAK DOWN OR DETERIORATION UNDER NORMAL USE IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. LATICRETE LIMITS THE DURATION AND REMEDIES OF ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE TO THE DURATION OF THE WARRANTY PERIOD. NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE WARRANTY PERIOD HAS EXPIRED. SOME PROVINCES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

LIMITATION OF LIABILITY

IF YOU ARE A CONSUMER SUBJECT TO THE QUEBEC CONSUMER PROTECTION ACT, THE LIMITATIONS OF LIABILITY CONTAINED IN THIS SECTION DO NOT RELEASE LATICRETE FROM THE CONSEQUENCES OF ITS OWN ACTIONS OR THE ACTIONS OF ITS REPRESENTATIVES.

THE REMEDIES DESCRIBED IN THE "EXCLUSIVE REMEDY" SECTION BELOW ARE YOUR SOLE AND EXCLUSIVE REMEDIES, AND LATICRETE'S ENTIRE LIABILITY, FOR ANY BREACH OF THIS LIMITED WARRANTY. LATICRETE'S LIABILITY SHALL UNDER NO CIRCUMSTANCES EXCEED THE ACTUAL AMOUNT PAID BY YOU FOR THE DEFECTIVE PRODUCT, NOR SHALL LATICRETE UNDER ANY CIRCUMSTANCES BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL OR PUNITIVE DAMAGES OR LOSSES, WHETHER DIRECT OR INDIRECT.

SOME PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES.

SO THE ABOVE LIMITATION OR EXCLUSION MAY NOT APPLY TO YOU.

EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this Limited Warranty is replacement of only the specific portion of the installation that is proven to be defective. LATICRETE will pay for replacement of its own products and replacement of finishing materials, as well as for labor for the replacement installation, provided that LATICRETE will not pay more for the replacement than the original purchase price of the portion being replaced as calculated on a square-foot (or, if applicable, square-meter) basis. LATICRETE will not pay for replacement of any portion of the installation that is not proven to be defective.

In the event that the sole and exclusive remedy described above fails of its essential purpose, the liability of LATICRETE is limited to the monetary value, on a square-foot (or, if applicable, square-meter) basis, of the original purchase price of the portion being replaced.

EXCLUSIONS

This Limited Warranty does not cover any damage due to (a) transportation; (b) storage; (c) improper use; (d) failure to follow LATICRETE's Product instructions and industry standard guidelines; (e) modifications; (f) unauthorized repair; (g) normal wear and tear; or (h) external causes such as accidents, abuse, or other actions beyond LATICRETE's reasonable control, including cracking due to structural movement, excessive deflection or other failure in the substrate.

This warranty does not cover any components not manufactured by LATICRETE, including but not limited to framing, sheathing, insulation, drainage plane, air gap, fasteners, lath, cleavage membrane, wire, clips, vapor barriers, flashing or any failures originating from these components, as well as LATICRETE products not listed on the table shown on page 1.

This Limited Warranty also excludes any Products used in any exterior facades with ceramic tile, stone, adhered masonry veneer, or thin brick installed over substrates with steel or wood framing - see Data Sheet 230.15 for such applications.

This Limited Warranty excludes any Products used in any submerged or industrial applications. Please refer to individual product data sheets available at https://laticrete.com/en/support-and-downloads/product-support/data-sheets for specific guidelines.

**Note: Efflorescence is a normal condition of portland cement mortars and is not a defective condition.

HOW TO MAKE A CLAIM



5 Year Product Limited Warranty – Air Barrier (Canada)

DS-230.05AB CN

Globally Proven Construction Solutions

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At the option of LATICRETE, you may

be required, as a condition of this limited warranty, to provide proof of product purchase and use.

Address your claim to:

LATICRETE International, Inc. 1 LATICRETE Park North Bethany, CT 06524-3423 USA Attn.: Technical Services Department

SEVERABILITY

If any portion of this Limited Warranty is held to be illegal or unenforceable, such partial illegality or unenforceability shall not affect the enforceability of the remainder of the Limited Warranty.

TECHNICAL INFORMATION

Technical assistance and information are available by calling the **LATICRETE Technical Services Line:**

Toll Free: 1.800.243.4788, ext. 1235 Telephone: +1.203.393.0010, ext. 1235 Fax: +1.203.393.1948

E-mail: technicalservices@laticrete.com Web and Chat: www.laticrete.com

Data Sheets are subject to change without notice. For the latest versions of Data Sheets, please visit our website at www.laticrete.com.



5 Year Product Limited Warranty – Air Barrier (Canada)

DS-230.05AB CN

Globally Proven Construction Solutions

LATICRETE International, Inc.

One LATICRETE Park North, Betharry, CT 06524-3423 USA = 1.800.243.4788 = +1.203.393.0010 = www.laticrete.com
©2021 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.