



Globally Proven
 Construction Solutions

Safety Data Sheet

1. PRODUCT IDENTIFICATION

TRADE NAME (as labeled): Mortar UT HF Part A

MANUFACTURER'S/ DISTRIBUTOR'S NAME: LATICRETE South East Asia Pte Ltd
 38 Sungei Kadut,
 Street 2 (Level2 A3),
 Singapore 729245.

Phone number for additional information: (65) 6515 3028

Date prepared or revised: 28/09/2021

2. HEALTH HAZARD IDENTIFICATION

CLASSIFICATION:

Skin Corrosion/Irritation	Category 2	H315	May causes skin irritation
Serious Eye Damage/Eye Irritation	Category 2	H319	Causes serious eye irritation
Skin Sensitization	Category 1	H334	May cause sensitization by skin Contact

Aquatic Acute	Category 2	H411	Toxic to aquatic life with long lasting effect
---------------	------------	------	--

HAZARD PICTOGRAMS:



SIGNAL WORD

: WARNING



Globally Proven
 Construction Solutions

Safety Data Sheet

HAZARD STATEMENTS: H315 Causes skin irritation
 H319 Causes serious eye irritation
 H317 May cause allergic skin reaction
 H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS : P280 Wear protective gloves/ protective clothing /
 eye protection / face protection.
 P313+P333 If skin irritation or rash occurs: Get
 medical advice attention.
 P313+P337 If eye irritation persists: Get medical
 advice attention
 P273 Avoid release to the environment.

3. COMPOSITION INGREDIENTS

Chemical Names	CAS NUMBERS	%
WATER	7732-18-5	50
CASTOR OIL	8001-79-4	40
POLYETHER	26570-48-9	10

4. FIRST AID: EMERGENCY PROCEDURES

Inhalation : Remove to fresh air. If breathing has stopped, institute artificial respiration.
 Seek medical advice if symptoms persist.

Skin Contact : Wash skin thoroughly with soap and water. Remove contaminated clothing. If
 symptoms persist, seek medical advice.

Eye Contact : Rinse eyes thoroughly with water for at least 15 minutes, and seek medical
 advice.

Ingestion : Do not induce vomiting. Dilute with water. Seek medical examination
 immediately.

5. FIRE FIGHTING MEASURES

Extinguishing Media : In case of fire, use water spray (fog) foam, dry chemical, or CO₂



**Globally Proven
 Construction Solutions**

Safety Data Sheet

Fire Fighting Instruction : Fire fighters should wear self-contained breathing apparatus and full protective gear.

Self-Ignition : Not self-igniting

Flash Point : >120°C

6. ACCIDENTAL RELEASE MEASURES

Personal Precaution : Use personal protective equipment

Environmental Precaution : Do not allow to enter drains or waterways, do not discharge into the subsoil / soil.

Methods for Cleaning Up : Take up with absorbent materials (e.g.: sand, universal binder). Dispose of as hazardous waste.

7. HANDLING AND STORAGE

Handling : Ensure adequate ventilation at the workplace. Avoid open flames and sources of ignition.

Storage : Keep away from food and drink. Store in a cool dry area and keep container tightly sealed.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Control : Use with adequate general and local exhaust ventilation

Hygiene Measure : Do not eat, drink, smoke or drug taking in work place. Wash hands before break or after work.

Respiratory Protection: General room ventilation is normal adequate

Hand Protection : Chemical resistance gloves /PVC gloves

Eye /face Protection : Safety goggles with side shields

Skin Protection : Light protective clothing



Globally Proven
Construction Solutions

Safety Data Sheet

9. PHYSICAL AND CHEMICAL PROPERTIES

Odour	: Characteristic mild
Chemical Type	: Liquid
Flammability	: Does not ignite
Boiling Point	: No data available
Melting Point	: No data available
Explosion hazard	: Not explosive
Vapour Pressure (25°C)	: Not applicable
Solubility (250C	: Insoluble in water
Relative Density	: 1.35

10. STABILITY AND REACTIVITY

Stability	: Stable. Avoid static electricity discharge.
Hazardous Polymerization	: Will not occur. Avoid strong acid, strong base and amines.
Hazardous reactions	: In fire toxic fume may be generated.

11. TOXICOLOGY INFORMATION

Proper use provided, no adverse health effects have been observed or have been come to our knowledge. Eye contact may produce an oil film over the eyeball causing a harmless reversible short lasting dimness of sight.

12. ECOLOGICAL INFORMATION

N/A

13. DISPOSAL CONSIDERATIONS

Product	: In accordance with local authority regulations, take to special waste incineration plant.
---------	---



**Globally Proven
 Construction Solutions**

Safety Data Sheet

Contaminated Packaging : If empty contaminated containers are recycled or disposed of, the receiver must inform about possible hazards.

14. TRANSPORT INFORMATION

ARD/RID Shipping Data : Not regulated (Not dangerous for transport)
 IMO Shipping Data : Keep from freezing (Not dangerous for transport)
 ICAO/IATA Shipping Data : Keep from freezing (Not dangerous for transport)

15. REGULATORY INFORMATION

Hazard Labels : Xi Irritant
 R43 : May cause sensation by skin contact
 R36/38 : Irritating to eyes and skin
 S24 : Avoid contact with skin
 S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S28 : In case of contact with skin, wash immediately with plenty of water and soap.

16. OTHER INFORMATION

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.