



Globally Proven  
Construction Solutions

# Safety Data Sheet

## 1. PRODUCT IDENTIFICATION

TRADE NAME (as labeled): STONETECH® Enhancer Pro™ Sealer

MANUFACTURER'S/ DISTRIBUTOR'S NAME: LATICRETE South East Asia Pte Ltd  
38 Sungei Kadut,  
Street 2 (Level2 A3),  
Singapore 729245.

Phone number for additional information: (65) 6515 3028

Date prepared or revised: 14/06/2018

## 2. COMPOSITION INGREDIENTS

Chemical Names	CAS NUMBERS	Percent
Naphtha (petroleum), hydrotreated heavy	64742-48-9	70 - 80

## 3. HEALTH HAZARD INFORMATION

Physical hazards	Flammable liquids	Category 3
Health hazards	Skin corrosion/irritation	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	



Globally Proven  
Construction Solutions

# Safety Data Sheet

## Label elements



Signal word

Danger

Hazard statement

Flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Avoid breathing vapors. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Response: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Collect spillage.

Storage: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC): Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment.



Globally Proven  
Construction Solutions

# Safety Data Sheet

## 4. FIRST AID: EMERGENCY PROCEDURES

Inhalation: Move into fresh air and keep at rest. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.

Skin contact: Flush thoroughly with water for at least 15 minutes. Wash skin with soap and water. Get medical attention if irritation develops and persists.

Eye contact: Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately.

Ingestion: Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed: Skin irritation. Irritation of nose and throat. Irritating to mucous membranes. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

General information: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical: During fire, gases hazardous to health may be formed. Solvent vapors may form explosive mixtures with air.

Special protective equipment and precautions for firefighters: Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.



**Globally Proven  
Construction Solutions**

# Safety Data Sheet

Fire fighting equipment/instructions: In case of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Move containers from fire area if you can do it without risk.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures: Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Do not breathe mist or vapor. Avoid contact with skin and eyes. Local authorities should be advised if significant spillages cannot be contained. Stay upwind. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Ventilate closed spaces before entering. Use personal protection recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water.

Large Spills: Dike the spilled material, where this is possible. Following product recovery, flush area with water. Cover with plastic sheet to prevent spreading. Absorb spillage with non-combustible, absorbent material.

Small Spills: Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water.

## **7. HANDLING AND STORAGE**

Precautions for safe handling: The product is flammable, and heating may generate vapors which may form explosive vapor/air mixtures. Do not handle or store near an open flame, heat or other sources of ignition. Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Use only in well-ventilated areas. Avoid prolonged



**Globally Proven  
Construction Solutions**

# Safety Data Sheet

exposure. Wash thoroughly after handling. Handle and open container with care.

Conditions for safe storage: Keep away from heat, sparks and open flame. Store in cool place. Keep in a well-ventilated place. Keep container tightly closed. Keep in an area equipped with sprinklers. Keep this material away from food, drink and animal feed. Use care in handling/storage. Keep away from sources of ignition - No smoking.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational exposure limits

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	PEL	400 mg/m <sup>3</sup>
		100 ppm

### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	TWA	400 mg/m <sup>3</sup>
		100 ppm

Biological limit values: No biological exposure limits noted for the ingredient(s).

Exposure guidelines: Follow standard monitoring procedures.

Appropriate engineering controls: Explosion proof exhaust ventilation should be used. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment. Provide easy access to water supply or an emergency shower

### Individual protection measures, such as personal protective equipment

Eye/face protection: Wear goggles/face shield.



**Globally Proven  
Construction Solutions**

# Safety Data Sheet

**Skin protection:** Hand protection Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.

**Other:** Wear appropriate chemical resistant clothing. Wear appropriate chemical resistant gloves. Protective shoes or boots. Structural firefighters protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations. Wear chemical protective equipment that is specifically recommended by the Personal Protective Equipment manufacturer.

**Respiratory protection:** If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator use. In case of inadequate ventilation or risk of inhalation of vapors, use suitable respiratory equipment.

**Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using, do not eat, drink or smoke. Launder

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Relative density : 0.809

Melting point or range, °C : N/A

Initial boiling point and boiling range : > 300.2 °F (> 149 °C)

pH : N/A

Specific gravity : N/A

Flash point : 82.4 °F (28.0 °C) Closed Cup

Solubility in water : Insoluble in water



Globally Proven  
Construction Solutions

# Safety Data Sheet

Decomposition temperature : > 392 °F (> 200 °C)  
 Vapor pressure, mmHg at 20°C : N/A  
 Appearance and odor : Clear Liquid, Slightly hydrocarbon  
 VOC (Weight%) : 632g/l

## 10. STABILITY AND REACTIVITY

Reactivity: The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability: Stable under normal temperature conditions. Risk of ignition.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat, sparks, flames, elevated temperatures.

Incompatible materials: Strong oxidizing agents. Strong acids.

Hazardous decomposition products: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## 11. TOXICOLOGY INFORMATION

Acute toxicity : May cause discomfort if swallowed.

Components	Species	Test Results
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)		
Acute		
Dermal LD50	Rabbit	>2000 mg/kg
Inhalation LC50	Rat	>4.96 mg/l, 4 hours
Oral LD50	Rat	>5000 mg/kg



Globally Proven  
Construction Solutions

# Safety Data Sheet

## 12. ECOLOGICAL INFORMATION

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components	Species	Test Results
------------	---------	--------------

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

### Aquatic

Algae	IC50	Algae	<= 10 mg/l, 72 hours
Crustacea	EC50	Daphnia	<= 10 mg/l, 48 hours
Fish	LC50	Fish	<= 10 mg/l, 96 hours

Persistence and degradability: No data is available on the degradability of this product.

Bioaccumulative potential: No data available for this product.

Mobility in soil: No data available.

Mobility in general: The product is insoluble in water.

Other adverse effects: No data available.

## 13. DISPOSAL CONSIDERATIONS

Disposal instructions: Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.

Hazardous waste code: Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused products: Dispose of in accordance with local regulations.

Contaminated packaging: Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.





Globally Proven  
Construction Solutions

# Safety Data Sheet

## 14. TRANSPORT INFORMATION

### DOT

UN number	UN3295
UN proper shipping name	Hydrocarbons, liquid, n.o.s.
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Marine pollutant	Yes

### Environmental hazards

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions	144, B1, IB3, T4, TP1, TP29
Packaging exceptions	150
Packaging non bulk	203
Packaging bulk	242
ERG number	128

### IATA

UN number	UN3295
UN proper shipping name	Hydrocarbons, liquid, n.o.s.
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Environmental hazards	Yes
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

### IMDG

UN number	UN3295
UN proper shipping name	Hydrocarbons, liquid, n.o.s.



**Globally Proven  
 Construction Solutions**

# Safety Data Sheet

Transport hazard class(es)	
Class	3
Transport hazard class(es)	
Subsidiary risk	-
Label(s)	3
Packing group	III
<b>Environmental hazards</b>	
Marine pollutant	Yes
EmS	F-E, S-D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according Annex II of MARPOL 73/78 and the IBC Code: Not available.

General information: IATA classification is not relevant as the material is not transported by air.

## 15. REGULATORY INFORMATION

US federal regulations: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
 All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)  
 Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)  
 Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)  
 Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)  
 Hazard categories Immediate Hazard – Yes  
 Delayed Hazard – No  
 Fire Hazard – Yes  
 Pressure Hazard – No  
 Reactivity Hazard – No



**Globally Proven  
Construction Solutions**

# Safety Data Sheet

SARA 302 Extremely hazardous substance  
Not listed.

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)  
Not regulated.

Other federal regulations  
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List  
Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)  
Not regulated.

Safe Drinking Water Act (SDWA)  
Not regulated.

US state regulations: This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List  
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

US. New Jersey Worker and Community Right-to-Know Act  
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

US. Pennsylvania Worker and Community Right-to-Know Law  
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

US. Rhode Island RTK  
Not regulated.

US. California Proposition 65  
Not Listed.



**Globally Proven  
Construction Solutions**

# Safety Data Sheet

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



Globally Proven  
Construction Solutions

# Safety Data Sheet

## 16. OTHER INFORMATION

*This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.*