

1. **PRODUCT IDENTIFICATION**

TRADE NAME (as labeled): Water Repellent Skim Coat

MANUFACTURER'S/ DISTRIBUTOR'S NAME:

LATICRETE South East Asia Pte Ltd 38 Sungei Kadut, Street 2 (Level2 A3), Singapore 729245.

Phone number for additional information: (65) 6515 3028

Date prepared or revised: 04/09/2018

2. INGREDIENTS

| Materials | CAS NUMBERS | Percent | OTHER (SPECIFY) |
|-------------------|--------------|---------|--------------------|
| Portland Cement | 65997-15-1 | 25 - 30 | N/A |
| Calcium Carbonate | 471-34-1 | 60 - 70 | N/A |
| Additives | Trade Secret | < 18 | N/A |

N/A = Not applicable or available

3. HEALTH HAZARD INFORMATION

SYMPTOMS OF OVEREXPOSURE for each potential route of exposure. (Possible Longer Term Effects): Chronic Bronchitis, possible silicosis, or cancer if exposed to greater than permissible limits for a prolonged period of time.

SIGNS AND SYMPTOMS OF EXPOSURE (Acute effects)

Inhaled : Irritation of nose, cough, labored breathing, expectoration


Contact with skin or eyes : Irritation of eyes, skin sensitization

Absorbed through skin : N/A

Swallowed : Expectoration

SUSPECTED CANCER AGENT?

 $v \mid$ NO: This product's ingredients are not found in the lists.



4. FIRST AID: EMERGENCY PROCEDURES

Eye Contact : Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin Contact : Promptly wash contaminated skin with soap or mild detergent and water.

Inhaled : Move the exposed person to fresh air at once.

Swallowed : If person is conscious, give large quantities of water. After swallowing water, try to get person to vomit. Get medical attention immediately.

5. FIRE FIGHTING MEASURES

| Flash Point method | : Not flammable or combustible |
|------------------------------------|---|
| Auto ignition temperature (°C) | : N/A |
| Flammable limits in air, volume % | : Lower (LEL) |
| Fire extinguishing materials | : Water spray, Carbon dioxide, Foam, Dry chemical |
| Special fire fighting procedures | : N/A |
| Unusual fire and explosion hazards | : N/A |

6. ACCIDENTAL RELEASE MEASURES

Spill response procedures (include employee protection measures): Shovel into pails or drums with covers. Wear appropriate equipment to prevent skin and eye contact; also a dust mask approved by NIOSH.

Preparing wastes for disposal (container types, neutralization, etc.): N/A

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Store in a cool dry area.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls : N/A

Respiratory protection (type) : A NIOSH approved dust mask if TLV is exceeded

| | Form | Rev: A |
|---|-------------------|------------------|
| LATICRETE | | Page: 3 of 4 |
| ® | Safety Data Sheet | Date: 28/02/2019 |
| Globally Proven Construction Solutions | | |
| | | |

| Eye protection (type) | : Chemical goggles or safety glasses |
|------------------------------------|--|
| Gloves (specify material) | : Use impervious gloves, vinyl or rubber |
| Other clothing and equipment | : Use appropriate clothing to prevent skin contact. Barrier creams will assist in protecting the skin from contamination. |
| Work practices, hygienic practices | : Familiarize the employees with the special handling procedures in this section; also encourage prompt removal of contaminated clothing and washing of contaminated areas. |

Other handling and storage requirements : N/A

Protective measures during maintenance of contaminated equipment: See above.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Melting point or range,°C | : N/A |
|---------------------------|-------|
|---------------------------|-------|

Specific gravity : 1.2

Solubility in water : Insoluble

Evaporation rate (butyl acetate = 1) : N/A

Appearance and odor : Grey, white, or coloured odorless powder.

HOW TO DETECT THIS SUBSTANCE (warning properties of substance as a gas, vapor, dust, or mist)

10. STABILITY AND REACTIVITY

| Stability | : Stable | |
|---|------------------------|--|
| Conditions to avoid | : Keep dry until used. | |
| Incompatibility (materials to avoid) | : N/A | |
| Hazardous decomposition products | | |
| (from burning, heating, reaction with other materials): N/A | | |

| LATICRETE Globally Proven Construction Solutions | Forn Safety Data Sheet | Rev: A Page: 4 of 4 Date: 28/02/2019 |
|---|----------------------------|---|
| Hazardous polym | erization : Will not occur | |

Hazardous polymerization

Conditions to avoid

: N/A

11. **TOXICOLOGY INFORMATION**

N/A

12. **ECOLOGICAL INFORMATION**

N/A

13. **DISPOSAL CONSIDERATIONS**

Dispose in compliance with local, state, and federal regulations.

14. **TRANSPORT INFORMATION**

No special labeling or transportation placarding is required.

15. **REGULATORY INFORMATION**

Not classified as dangerous under current regulation

16. **OTHER INFORMATION**

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.