



SAFETY DATA SHEET

Version No:02
Issue Date: 26-Jan-2023

LATICRETE® 335 Premium Tile Adhesive

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

| | |
|---|--|
| Product Name | 335 Premium Tile Adhesive |
| Recommended use | Cement-based, Tile & Stone Adhesive (For professional use). |
| Manufacturer/ Importer/ Supplier/ Distributor information | Company Name: LATICRETE MIDDLE EAST LLC Address P.O. Box. 86028, Ras Al Khaimah, United Arab Emirates Telephone: +971 7 244 6396 |

2. HAZARD (S) IDENTIFICATION

| | |
|----------------|---|
| Classification | Skin Corr./Irritation: Category 2 Eye Dam./Irritation: Category 1 Sensitization, skin : Category 1 Specific target organ toxicity, single exposure Category 3 respiratory tract irritation |
|----------------|---|

Label Element



| | |
|---------------------|--|
| Signal Words | Corrosive, Harmful, Health Hazard |
| Hazard Statement(s) | H318 Causes serious eye damage. H315 Causes skin irritation. H335 May cause respiratory irritation. H372 Causes damage to organs (Lung) through prolonged or repeated exposure (inhalation) |

| | |
|--|--|
| Precautionary Statement(s) Prevention | P280 Wear protective gloves and eye/face protection. P271 Use only outdoors or in a well-ventilated area. P260 Do not breath dust/gas/mist/vapors. P270 Do not eat, drink or smoke when using this product. P264 Wash with plenty of water and soap thoroughly after handling. |
|--|--|

| | |
|--|---|
| Precautionary Statement(s) Response | P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water. P362 + P364 Take off contaminated clothing and wash before reuse. |
|--|---|

| | |
|---------------------------------------|---|
| Precautionary Statement(s) Storage | P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. |
|---------------------------------------|---|

| | |
|--|--|
| Precautionary Statement(s) Disposal | P501 Dispose of contents/container to hazardous or special waste collection point. |
|--|--|

Other hazards which do not result in classification None known.

Supplemental information In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns

Emergency overview IRRITANT. Irritating to eyes, respiratory system and skin.



SAFETY DATA SHEET

Version No:02
Issue Date: 26-Jan-2023

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Hazardous components within the meaning of GHS and related classification:

| Name | CAS No | CLP Classification | Content (% by wt) |
|--------------------------|------------|--|-------------------|
| Ordinary Portland Cement | 65997-15-1 | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335 | 30-40 |

4. FIRST-AID MEASURES

| | |
|--|--|
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues |
| Skin contact | Take off immediately all contaminated clothing. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. Get medical attention immediately |
| Eye contact | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately |
| Ingestion | Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if any discomfort continues. |
| Personal protection for first-aid responders | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves |
| Symptoms caused by exposure | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. |
| Medical attention and special treatment | Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Extinguishing media | |
| Suitable extinguishing media | Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO ₂). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire |
| Specific hazards arising from the chemical | Hazards during fire-fighting: carbon monoxide, carbon dioxide, harmful vapours Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire. Product is not combustible or explosive. |
| Special protective equipment and precautions for fire fighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Firefighting equipment/instructions | Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. |
| General fire hazards | No unusual fire or explosion hazards noted. |



SAFETY DATA SHEET

Version No:02
Issue Date: 26-Jan-2023

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|---|---|
| For non-emergency personnel | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. |
| For emergency responders | wearing appropriate protective clothing. |
| Environmental precautions | Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases |
| Methods and materials for containment and cleaning up | Large Spills: Pick up with suitable appliance and dispose of. Pack in tightly closed containers for disposal. Small Spills: Pick up with suitable appliance and dispose off. |
| Other issues relating to spills and releases | Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS. Clean up in accordance with all applicable regulations. |



7. HANDLING AND STORAGE

| | |
|--|--|
| Precautions for safe handling | Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation. |
| Conditions for safe storage, including any incompatibilities | Segregate from metals. Segregate from acids. Segregate from lyes. Segregate from oxidants. Segregate from foods and animal feeds. Suitable materials for containers: High density polyethylene (HDPE) Further information on storage conditions: Containers should be stored tightly sealed in a dry place. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | |
|----------------------------------|--|
| Control parameters | Follow standard monitoring procedures. |
| Occupational exposure limits | <u>Portland Cement</u> : PEL 15 mg/m ³ <u>EVA Co-Polymer</u> : OEL (USA) Ceiling limit: 5 mg/m ³ |
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Appropriate engineering controls | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. |

Individual protection measures, for example personal protective equipment (PPE)

| | | |
|---------------------|---|---|
| Eye/face protection | Wear safety glasses with side shields (or goggles). Face-shield. Wear a full-face respirator, if needed |   |
|---------------------|---|---|

| | | |
|---------------------------------|---|---|
| Skin protection Hand protection | Wear appropriate chemical resistant gloves. |  |
|---------------------------------|---|---|

| | |
|------------------------|--|
| Others | Body protection must be chosen based on level of activity and exposure. |
| Respiratory protection | In case of insufficient ventilation, wear suitable respiratory equipment |
| Hygiene measures | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|----------------------|
| Appearance | Powder |
| Colour | Grey & White |
| Odour | Odorless |
| pH | Not applicable |
| Melting point/ freezing point | Not available |
| Initial boiling point and boiling range | Not available |
| Flash point | Not flammable |
| Evaporation rate | Not applicable |
| Flammability (solid, gas) | Not applicable |
| Vapor pressure | Not applicable |
| Bulk density | Approx.. 1600 gms/cc |
| Solubility (water) | Insoluble |
| Auto-ignition temperature | Not available |

10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | No hazardous reactions if stored and handled as prescribed/indicated |
| Chemical stability | Material is stable under normal conditions |
| Possibility of hazardous reactions | The product is stable if stored and handled as prescribed/indicated. Strong bases are formed on the addition of water. |
| Conditions to avoid | Avoid dust formation. Avoid humidity |
| Incompatible materials | Strong Bases. Strong acids. |
| Hazardous decomposition products | No hazardous decomposition products if stored and handled as prescribed/indicated |



SAFETY DATA SHEET

Version No:02
Issue Date: 26-Jan-2023

11. TOXICOLOGICAL INFORMATION

| | |
|--|--|
| Information on possible routes of exposure | Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases. |
| Acute toxicity/ Effects | Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. The statement has been derived from the properties of the individual components. |
| Oral | Swallowing may cause gastrointestinal irritation |
| Inhalation | Dust irritates the respiratory system, and may cause coughing and difficulties in breathing |
| Dermal | Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns. |
| Eye | Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns |
| Sensitization | Assessment of sensitization: Causes skin irritation. |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. |
| Aspiration hazard | Due to the physical form of the product it is not an aspiration hazard. |
| Other Information | Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components. |

12. ECOLOGICAL INFORMATION

| | |
|-------------------------------|---|
| Aquatic-toxicity | Not expected to be harmful to aquatic organisms |
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available for this product |
| Mobility in soil | The product is not mobile in soil. |
| Additional information | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this comp |

13. DISPOSAL CONSIDERATIONS

| | |
|-------------------------------|--|
| Disposal methods | Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product. |
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Completely emptied packaging can be given for recycling. |

14. TRANSPORT INFORMATION

| | |
|------------|--|
| ADG | Not classified as a dangerous good under transport regulations |
| IMDG | Not classified as a dangerous good under transport regulations |
| IATA/ ICAO | Not classified as a dangerous good under transport regulations |



SAFETY DATA SHEET

Version No:02
Issue Date: 26-Jan-2023

15. REGULATORY INFORMATION

Safety, health and environmental regulations

National regulations

Followed

International regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

16. OTHER INFORMATION

Disclaimer: The information in this (M) SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.